

## TYPE B1

63 sq m/ 678 sq ft #02-23 to #16-23



TYPE B1-P

63 sq m/ 678 sq ft #01-23




## TYPE B2

70 sq m/ 753 sq ft #02-04 to #16-04 #02-24 to #16-24



TYPE C1

83 sq m/ 893 sq ft #02-05 to #16-05, #11-05



TYPE C1a


83 sq m/ 893 sq ft #01-05

# BUYCO




TYPE B2-P


70 sq m/ 753 sq ft #01-04



#12-05 to #15-05\*




#16-05\*





Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.



\* DSTA screening/frosted glass may be provided for these units






## TYPE C2 / C2 (M)

92 sq m/ 990 sq ft


C2 #02-09 to #11-09 #02-13 to #13-13 #02-17 to #13-17

C2(M) - Mirror Units #02-06 to #11-06



## TYPE C3

91 sq m/ 979 sq ft #02-10 to #13-10 #02-14 to #13-14



### TYPE C2a

92 sq m/ 990 sq ft #02-03 to #16-03



## TYPE C3-P

91 sq m/ 979 sq ft #01-10 #01-14




## TYPE C2-P/C2(M)-P

92 sq m/ 990 sq ft

C2-P #01-09 #01-13 #01-17


C2(M) P - Mirror Unit #01-06








Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.








## TYPE C4



#02-18 to #13-18




#16-18\*

## TYPE C5


102 sq m/ 1097 sq ft #02-15 to #13-15 #03-21 to #16-21



#14-15 to #15-15\*



#14-18 to #15-18\*




TYPE C4-P

93 sq m/ 1001 sq ft #01-18

## TYPE C5-P

102 sq m/ 1097 sq ft #01-15 #01-21






\* DSTA screening/frosted glass may be provided for these units



Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.



\* DSTA screening / frosted glass may be provided for these units






## TYPE C5a / C5a(M)

103 sq m/ 1108 sq ft

C5a #02-08 to #11-08


C5a(M) - Mirror Units #02-19 to #13-19



C5a

#12-08 to #16-08\*

C5a(M) - Mirror Units #14-19 to #16-19\*




TYPE C6/C6(M)

104 sq m/ 1119 sq ft

C6


#03-02 to #16-02 #02-12 to #11-12 #02-20 to #13-20

C6(M) - Mirror Units #02-07 to #11-07



C6
#12-12 to #15-12\*
#14-20 to #15-20\*

C6(M) - Mirror Units #12-07 to #15-07\*




TYPE C5a-P/C5a(M)-P

103 sq m/1108 sq ft

C5a-P #01-08

C5a(M)-P - Mirror Unit



\* DSTA screening/frosted glass may be provided for these units



Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.

## TYPE C6-P / C6(M)-P


104 sq m/1119 sq ft


C6-P

#01-02 #01-12

#01-20 C6(M)-P - Mirror Unit

#01-07






\* DSTA screening / frosted glass may be provided for these units

5 METRES



## TYPE C6a

105 sq m/ 1130 sq ft #02-22 to #16-22



## TYPE D1

118 sq m/ 1270 sq ft #02-01 to #16-01 #02-11 to #13-11



## TYPE C6a-P

105 sq m/ 1130 sq ft #01-22




## TYPE D1-P

#14-11 to #15-11\*


118 sq m/ 1270 sq ft #01-01 #01-11








Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.



\* DSTA screening/frosted glass may be provided for these units










## TYPE PH1

148 sq m/ 1593 sq ft #16-15\*








\* DSTA screening/frosted glass may be provided for these units



Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.



\* DSTA screening/frosted glass may be provided for these units






### TYPE PH2


157 sq m/ 1689 sq ft #16-12\* #16-20\*

PH2(M) - Mirror Unit #16-07

## TYPE PH3

160 sq m/ 1722 sq ft #16-11\*






\* DSTA screening / frosted glass may be provided for these units



Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.



\* DSTA screening / frosted glass may be provided for these units









#### TYPE PH4

160 sq m/ 1722 sq ft #16-16\*





\* DSTA screening/frosted glass may be provided for these units



Area includes A/C ledge, balcony and PES where applicable. Orientations and facings will differ depending on the unit you are purchasing. Please refer to the key plan. The plans are subjected to change as may be required or approved by relevant authorities. All areas are approximate and subject to final survey. The developer and its agents cannot be held liable for any inaccuracies.

#### SPECIFICATIONS OF THE BUILDING

#### 1. FOUNDATION

Reinforced concrete spun piles and/or reinforced concrete footings and/or driven piles

Pre-cast and/or cast-in-situ reinforced concrete framed structure, and/or steel

#### WALLS

- : Cast-in-situ reinforced concrete and/or pre-cast reinforced concrete a) External Wall and/or masonry (where applicable).
- : Masonry and/or cast in-situ reinforced concrete wall and/or pre-cast reinforced concrete wall and/or light weight concrete block and/or drywall partition (where applicable).

#### 4. ROOF

Reinforced concrete roof and/or structural steel metal roofing system with appropriate insulation and waterproofing system (where applicable).

#### 5. CEILING

a) Apartment

Floor to ceiling height:

Typical Units Approx. 2750mm Living, Dining, Bedrooms Entry to Living, Kitchen, Hallway to Bedrooms, Yard Approx. 2750mm Bathrooms, WC Approx. 2200mm

Penthouse Units

Living, Dining, All Bedrooms, Study (PH1, PH2, PH2(M)) Approx. 2750mm Dry / Wet Kitchen, Walk-in-wardrobe,

Hallway to Bedrooms, Yard Approx. 2750mm Bathrooms, WC Approx. 2300mm

Type and material of ceiling:

Living, Dining, Study, Bedrooms, Living/Hallway to Bedrooms, Walk-in-wardrobe, Dry Kitchen, Wet kitchen, Yard, Bathrooms, WC, Balcony/PES (where applicable). Cement and sand plaster and/or skim coating with or without plaster ceiling boards and/or with plaster ceiling board box up to designated areas (where applicable).

#### b) Common area

Type and material of ceiling:

Lift Lobbies, car park, ramp and staircases

 Skim coat and/or cement/sand plaster ceiling with paint finish and/or ceiling board with paint finish and/or plaster ceiling box up to designated areas.

Living, Dining, Dry Kitchen, Study, Hallway to Bedroo

Walk-in-wardrobe, Yard - Paint finish to exposed surface only

Bathroom, WC

- Tile to designated exposed surface below false ceiling.

· Kitchen, Wet kitchen

– Tile and/or skim coat and/or cement/sand plaster with paint finish (up to false ceiling and at designated exposed areas only).

Balcony / PES

- Cement/sand plaster and/or skim coat with paint finish.

Internal Wall

• Lift Lobbies, Common Corridor, Staircase and Carpark - Tile and/or cement /sand plaster and/or skim coat with paint finish.

External Wall

· Cement/Sand plaster with emulsion paint and/or spray textured paint finish.

#### b) Floor

Apartment • Living, Dining, Study, Hallway to Bedrooms

- Homogeneous and/or ceramic and/or porcelain tiles with timber skirting (where

applicable) Kitchen, Wet Kitchen, Yard

- Homogeneous and/or ceramic and/or porcelain tiles with tile skirting (where applicable)

Bathrooms, WC

- Homogeneous and/or ceramic and/or porcelain tiles (where applicable)

Bedrooms, Walk-in-wardrobe

- Laminated timber flooring with timber skirting

 Balcony / PES · Homogeneous and/or ceramic and/or porcelain tiles and/or cement/sand screed

 A/C Ledge - Cement/sand screed.

ii Common Δrea

Basement and 1st storey Lift Lobbies

- Stone and/or compressed marble and/or homogeneous and/or ceramic and/or porcelain tiles and/or cement /sand plaster and/or skim coat with paint finish.

• 2nd to 16th storey Common Lift Lobbies

- Homogeneous and/or ceramic and/or porcelain tiles and/or cement/sand plaster and/or skim coat with paint finish.

7. WINDOWS

All windows of the apartment shall be powder coated aluminium-framed casement and/or sliding and/or top hung window with minimum 6mm thick clear and/or tinted glass and/or reflective and/or frosted glass (where applicable).

#### 8. DOORS

 Main Entrance Approved fire-rated timber door with digital lockset.

· Bedrooms, Bathrooms

- Timber hollow core swing and/or sliding door.

Kitchen

- Timber and/or aluminium-framed and/or frameless glass sliding and/or swing door with minimum 6mm thick clear and/or tinted glass and/or reflective and/or frosted glass (where applicable)

WC

- PVC door

 Balcony / PES Powder coated aluminium-framed sliding and/or folding glass door and/or fixed glass panel with minimum 6mm thick clear and/or tinted glass and/or reflective

#### and/or frosted glass (where applicable) 9. SANITARY FITTINGS

a) Master Bath • 1 shower cubicle complete with 1 shower mixer set

• 1 water closet

• 1 vanity top complete with 1 basin and 1 basin mixer

1 mirror

• 1 towel rail and/or 1 robe hook 1 toilet paper holder

b) Common Baths (where applicable)

• 1 shower cubicle with 1 shower mixer set

1 water closet

• 1 vanity top complete with 1 basin and 1 basin mixer

 1 mirror • 1 towel rail and/or 1 robe hook

· 1 toilet paper holder

c) WC (where applicable) 1 shower set

1 water closet

1 basin complete with tap1 toilet paper holder

d) Kitchen and/or Yard (where applicable) • 1 bib tap (for washing machine)

1 kitchen sink with tap

10. ELECTRICAL INSTALLATION

 Wiring for lighting and power shall be concealed conduit except for spaces within DB closet and area above false ceiling, which shall be exposed conduit and/or trunking.

b) See Electrical Schedule for details.

#### 11. TV / DATA / CABLE SERVICES / TELEPHONE POINTS

TV/telephone points shall be provided in accordance with the Electrical Schedule.

#### 12. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with Singapore Standard Code of Practice.

13. PAINTING a) External Wall

 Weather-proof and/or external emulsion paint and/or spray-textured paint coating (where applicable).

b) Internal Wall

• Emulsion paint and/or textured coating.

#### 14. WATERPROOFING

Waterproofing shall be provided to floors of Bathroom, Kitchen, Wet Kitchen, Utility/ Yard, WC, Balcony/PES, Reinforced Concrete (RC) Roof, Planter, Swimming Pool and other Pools, Swimming Pool Pump Room, Landscape Deck (where applicable).

#### 15. DRIVEWAY AND CAR PARK

a) Surface driveway

• Concrete and/or stone paver and/or tile and/or tarmac and/or concrete floor and/or wash pebbles to External Driveway at designated areas. b) Basement Carpark and Ramp to Carpark

Reinforced concrete slab with floor hardener

16. FACILITIES & RECREATIONAL AMENITIES

1) Guard House 2) Drop-off Porch

3) Scent Garden

4) Side Gate 5) Arrival Lounge

Function Room

7) Waterfall

9) Sun Deck 10) Gazebo

12) Jacuzzi

8) Wading pool (approximately 120sqm)

13) Swimming Pool (approximately 675sqm)

14) Changing Room 15) Barbeque Pavilion / Outdoor Dining

16) Open Deck

17) Kids' Play Deck 18) Recreational Skate Area / Park

19) Recreational Basketball / Futsal Court 20) Fitness Garden

21) Forest Adventure

22) Pool Lounge

23) Hydro-spa Pool (approximately 55sqm) 24) Rosy Trumpet Tree "Sakura Walk" / Reflexology Park

25) Open Lawn